Contents and Subject Index

Pflanzenschutz-Nachrichten

Bayer

Volume 1979

Contents

Volume 1979

Page

Brandes, W., Kaspers, H., and Krämer, W..:
®Baycor, a new foliar-applied fungicide of the biphenyloxy triazolyl methane group 1

Jarczyk, H. J.:
Method for gas-chromatographic determination of ®Ustilan residues in soil and water, with an N-specific detector 186

Kolbe, W.:
Seasonal course of top and small fruit developmental stages in relation to annual weather and crop protection measures 93

Kolbe, W., and Haug, G.:
A review of 65 years of Bayer Agrochemicals Division (1914–1979) and 50 Volumes of Pflanzenschutz-Nachrichten (1922–1979) 196

Kraus, P.:
Studies on the mechanism of action of ®Baycor 17

Lembrich, H.:
Control of weeds on railway tracks with ®Ustilan 160

Martin, T. J., and Morris, D. B.:
The development of the systemic fungicide, ®Bayleton, for the control of foliar diseases in spring and winter barley in the U. K. 31

Paul, V., and Scheinpflug, H.:
Studies on the effect of ®Bayleton on barley mildew pathogenesis 80

Subject Index 1979

(Number 1 and 2)

A

Achillea millefolium 164, 165, 181
Aegopodium podagraria 165
Agropyron repens 165
Agrostis sp. 165
Alopecurus myosuroides 166
Alternaria kikuchiana 6
Alternaria mali 6
Alternaria solani 9
Amaranthus sp. 166
Ambrosia sp. 166
Aminotriazole 164, 178, 179, 183
Amitrole = Aminotriazole
Andropogon amplectens 166
Anthonomus pomorum 105, 139
Anthriscus sylvestris 167
Arctium lappa 167
Artemisia sp. 164, 167
Ascochyta phleina 20
Ascochyta sp. 8
ATA = Aminotriazole

B

®Baycor 1–16, 17–30
Baycor, mechanism of action 17–30
Baycor, spectrum of activity 5–10
®Bayleton 1, 11, 26, 31–79, 80–89, 123
®Baytan, 1, 26
BBA scale (cereals) 44
Benodanil 40, 42, 52
Benomyl 40
Biloxazol 1–16, 17–30
Biphenyloxy triazolyl methane 1
β-([1,1'-Biphenyl]-4-yloxy)-α-(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol 2, 17
Blumeriella jaapii 6
Botrytis cinerea 20
Botrytis sp. 5, 130, 132, 136
Bromacil 178–180, 182
Bromus sp. 167

C

Captafol 42, 51
Carassius auratus 4
Carbendazim 40, 42, 51, 62, 64
Cardaria draba 168
Carex sp. 164, 169, 181, 183
Centaurea sp. 168
Cercospora apii 9
Cercospora beticola 8, 12, 14
Cercospora coffeicola 10
Cercospora cruenta 9
Cercospora kikuchii 8
Cercospora sp. 19, 20, 27
Chloraniformethan 41
1-(4-Chlorophenoxy)-3,3-dimethyl-1-(1H-1,2,4-triazol-1-yl) butan-2-one 41
Chrysanthemum sp. 168
Cirsium arvense 168
Cladosporium cucumerinum 20
Cochliobolus miyabeanus 20
Colletotrichum coccodes 9
Colletotrichum coffeanum 10
Colletotrichum lagenarium 9
Colletotrichum sp. 20
Commelina sp. 169
Convolvulus arvensis 164, 169, 183
Coturnix coturnix japonica 4
Cynodon dactylon 169
Cyperus compressus 170
Cyperus esculentus 170
Cyperus rotundus 170
Cyperus sp. 183

D

2,4-D 184
Dactylis glomerata 170
Dalapon 164, 183
Daucus carota 171
Diaporthe citri 7
Diaporthe phaseolorum 8
Digitaria sanguinalis 171
Diplocarpon rosae 10, 13, 14
Ditalimfos 40
Diuron 179, 182, 184
2,4-DP 179, 184

E

Echinochloa crus-galli 171
Elsinoe ampelina 7
Equisetum arvense 164, 172, 181, 184
Erigeron canadensis 172
Erysiphe betae 8, 14
Erysiphe cichoracearum 8, 9
Erysiphe graminis 8, 33, 74
Erysiphe graminis f. sp. *hordei* 31, 34, 80–89
Erysiphe pisi 9
Erysiphe polygoni 9, 10
Ethidimuron 162, 163, 179, 182, 186–195
Ethirimol 34, 35, 40, 43
3-(5-Ethylsulfonyl-1,3,4-thiadiazol-2-yl)-1,3-dimethylurea 162, 186
Euphorbia sp. 171
Exobasidium vexans 10

F

Feekes scale (cereals) 44
Festuca sp. 172
Fluotrimazole 40, 42
Foliar-applied fungicide Baycor 1–16
Foliar diseases in barley, control of 31–79
Foliar diseases in barley in the U.K. 34–40
Fruit developmental stages 93–159
Fusarium culmorum 8
Fusarium sp. 5, 20

G

Galium aparine 181
Galium sp. 172
®Garlon 184
Glomerella cingulata 6
Glyphosate 164, 183
Guignardia citricarpa 7
Gymnosporangium haraeanum 6

H

Helminthosporium sp. 20
Hemileia vastatrix 10
Heracleum sphondylium 173
Hexazinon 178, 180
Hypericum perforatum 173
®Hyvar X 181

I

Ipomoea sp. 173

K

Karbutilate 182
KWG 0599 1

L

Lepidium virginicum 173
Leuciscus idus 4
Linaria sp. 164, 173
Lolium sp. 174

M

MCPA 183
Monilinia sp. 6
®Morestan 11
Mucor sp. 20
Mycosphaerella arachidis 14
Mycosphaerella berkeleyi 14
Mycosphaerella fijiensis 7, 11
Mycosphaerella fijiensis var. *difformis* 7, 11
Mycosphaerella fragariae 7
Mycosphaerella musicola 7, 11
Mycosphaerella sp. 8, 12, 17
Mycosphaerella tassiana 8

N

Nectria galligena 6, 20
Nyssa sylvatica 164

O

Oidium begoniae 10
Oidium magniferae 7
Ophiobolus graminis 20
Oxycarboxin 38

P

Panicum maximum 174
Paspalum dilatatum 174
Pastinaca sp. 174
Pathogenesis of barley mildew, effect of Bayleton on 80–89
Pellicularia sasakii 20
Penicillium sp. 5
Pennisetum sp. 183
®Persulon 42, 46
Pezicula alba 6
Pezicula malicorticis 6
Phaeoisariopsis griseola 9
Phakopsora pachyrhizi 8
Phaseolus vulgaris 14
Phenoxy triazolyl methane 1, 2
Phoma arachidicola 8
Phragmidium mucronatum 10, 13, 14
Phragmites communis 175
Physopella ampelopsidis 7
Phytophthora sp. 5, 19, 20, 26
Picloram 164, 183
Plantago sp. 175
Pleospora betae 8, 14
Podosphaera leucotricha 6, 12
Polyram 52
Populus sp. 164
Portulaca oleracea 175
Potentilla sp. 176
Prunus virginiana 164
Pseudocercosporella herpotrichoides 8
Pseudoperonospora sp. 5
Pteridium aquilinum 175
Puccinia arachidis 8, 12, 14
Puccinia chrysanthemi 10, 13
Puccinia helianthi 8
Puccinia hordei 31, 33, 37, 74
Puccinia horiana 10, 13
Puccinia pelargonii-zonalis 10, 13
Puccinia pittieriana 9
Puccinia sp. 8, 17, 42
Puccinia striiformis 31, 33, 38, 74
Pyrenophora teres 40
Pyricularia oryzae 20
Pythium acanthicum 26
Pythium sp. 5, 19, 26
Pythium sylvaticum 20
Pythium ultimum 19, 20, 26

Q

Quercus sp. 164

R

Ranunculus repens 176, 181
Residue determination, Ustilan 186–195
Rhizoctonia sp. 5
Rhizopus hiemalis 20

Rhus radicans 164
Rhynchosporium secalis 8, 31, 33, 36, 74
Ribes sp. 164
Richardia scabra 176
Rosa multiflora 164
Rubus fruticosus 164, 184
Rubus sp. 164
Rubus spectabilis 164
Rumex obtusifolius 176

S

Schizothyrium pomi 7
Sclerotinia sp. 20
Selenophoma donacis 40
Septoria sp. 5, 39, 40
Serinus canarius 4
Setaria faberi 177
Smilax sp. 164
Sorghum halepense 177
Sphaerotheca fuliginea 9
Sphaerotheca macularis 7, 10
Sphaerotheca mors-uvae 7
Sphaerotheca pannosa 6, 10, 13, 14
Stemphylium lycopersici 9
Stigmina carpophila 6
Sulphur, wettable 11

T

2,4,5-T 184
Taphrina deformans 6
Taraxacum officinale 177
Thiophanate-methyl 40
Thiuram 41, 42
Tilletia caries 4
Triadimefon 1, 26, 27, 31–79, 80–89
Triadimenol 1, 26, 27
®Tributon 184
Triclopyr 184
Tridemorph 40, 42, 45, 46, 51, 52, 62, 64
Triforine 40

U

Ulmus sp. 164
Uncinula necator 7
Uromyces appendiculatus 9, 12, 14
Uromyces dianthi 10, 13
Uromyces sp. 9
Uromyces viciae-fabae 9
Urtica dioica 177
Ustilago avenae 18–27
Ustilago nuda 33
®Ustilan 160–185, 186–195
Ustilan NK 179, 184
Ustilan PD 179, 184
®Ustinex F 179

V

Venturia carpophila 6
Venturia inaequalis 4, 6, 12, 105
Venturia nashicola 6
Venturia pirina 6
Venturia sp. 17
Verbascum thapsus 178
Veronica chamaedrys 181
Verticillium sp. 20
Vitus sp. 164

W

Weed control on railway tracks with Ustilan 160–185

Z

Zadoks scale (cereals) 44
Zineb 38, 41, 42
Zineb/polyethylene thiuram disulphide complex 41, 42

E. 268-831/843 370 Printed in Germany